

#9
Steve Mild

From: Responder Knowledge Base [rkbnews@rkb.us]
Sent: Saturday, May 31, 2008 3:49 AM
To: Steve Mild
Subject: [RKB] Responder Knowledge Base User Notice

Importance: High

Please note the following news item(s) from the Responder Knowledge Base:

=====

CEDAP 2008 Application Period Now Open:

The application period for the 2008 Commercial Equipment Direct Assistance Program (CEDAP) began at 0900EDT on May 30, 2008.

CEDAP is sponsored by the National Preparedness Directorate, Federal Emergency Management Agency (FEMA), Department of Homeland Security (DHS). It complements other major grant programs by providing technology and equipment, together with training and technical assistance required to operate that equipment, to public safety agencies in smaller jurisdictions and certain metropolitan areas.

Applications may be submitted via the Responder Knowledge Base (www.rkb.us). Links are available on the Responder Knowledge Base home page for general program information as well as initiation of applications. A sample application in PDF format is also available. However, actual applications must be submitted on line. Applications will be accepted until 1700EDT on Monday, June 30th.

Questions regarding the CEDAP program should be referred to the Centralized Scheduling Information Desk (CSID) at 800-368-6498.

https://www.rkb.us/contentdetail.cfm?content_id=197632

=====

Your RKB profile indicates that you should receive user notifications. To unsubscribe from further notifications, edit the 'Priority Email Notifications' section of your profile by going to https://www.rkb.us/user_edit.cfm. If you have questions or problems, please use the Feedback function on the site or contact the RKB Staff at (703) 641-2078.

Welcome, Guest! What am I missing as a Guest?

Email:

Password:

Login problem?

Get a User ID now!

[Home](#)

[Products](#)

[Grants](#)

[AEL/SEL](#)

[Other Content](#)

[Ask An Expert](#)

[MyRKB](#)

Product

Communications \ Other Communications Equipment

Compare: 

36' Mobile Command Center

Information Provided

By: Mohawk Ltd.

Manufacturer:

Rollingstar

Model Number:

RS836GS60

Part Number:

RS836GS60

Description:

Command, Communicate & Observe with this fully customizable unit that will provide you with years of service!



36" Command Center
[More Pictures Available](#)

Knowledge Links

No third-party certifications in RKB for this Product

Related SEL Item(s)

- ▶ [12TR-00-MOVR] Mover, Prime, for Equipment/Water Trailers
- ▶ [12TR-00-TEQP] Trailer, Equipment
- ▶ [12VE-00-VHCL] Vehicle, Commercial

- 36' long x 102" wide Gooseneck Enclosed Trailer 16K GVWR
- Smooth, seamless and impact resistant FRP fiberglass insulated wall system
- Structural steel frame with radius aluminum extrusion corners, tops and bottom rails
- One piece aluminum roof with collapsible 8' x 8' aluminum observation deck
- Tandem torsion electric brake axle suspension
- Radial 235/85/R16G tires on machined aluminum wheels
- 2-5/16" gooseneck ball coupler or fifth-wheel hitch
- 12 kW Onan Quiet Diesel Generator with AC/DC electrical systems
- Air conditioning, ducted LP heat system and secondary electrical heat
- Water systems to include potable, waste water tanks and hot water
- Wiring for data, communication and video.
- Communications Room with two work surfaces & TV/Monitor station
- Two Conference Rooms with removable tables & TV/Monitor stations
- Galley area with refrigerator, microwave, sink and cupboards
- Bathroom with vanity, sink and cupboards
- Generator and storage compartments

Unlimited options, sizes & configurations available!

Please see our website for samples of units we have built.

Availability Date: Please Call

https://www.rkb.us/contentdetail.cfm?content_id=101427

5/27/2008

MSRP: N/A

Product Dimensions: 8.5' x 36'

Weight: 14,500/16K GVW

Information Provided By:

Mohawk Ltd.

One Newell Lane

Chadwicks , NEW YORK 13319

UNITED STATES

800-225-6642

Email: stug@mohawkLtd.com

Website: www.mohawkLtd.com

Additional Information

- [Mohawk Ltd's Product Info Page](#)
- [Product Specification](#)

[Home](#) | [Products](#) | [Grants](#) | [AEL / SEL](#) | [Other Content](#) | [Ask An Expert](#) | [Help](#)

Reference herein to any specific commercial products, processes, or services by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government. Neither the United States Government nor any of its employees make any warranty, express or implied, including but not limited to the warranties of merchantability and fitness for a particular purpose for any specific commercial product, process, or service referenced herein.

Copyright © 2003-2008 TRC [Privacy Policy](#) [Responder Knowledge Base Partners](#)

Mohawk Ltd.

A WBE and ISO 9001:2000 Certified Company

Specifications for Command Center 36' long x 102" wide Gooseneck Trailer

- **Rollingstar RS836GS60 36' long x 102" wide Gooseneck Enclosed Trailer:** 16,000 lb. GVWR, smooth FRP fiberglass insulated wall system, structural steel frame, tandem torsion electric brake axle suspension, radial tires 235/85/R16G tires on machined aluminum wheels, 2-5/16" ball gooseneck ball coupler or fifth-wheel hitch, one piece aluminum roof, D.O.T. compliant lighting
- Bright white gel coat interior and exterior wall finish
- Insulated FRP composite walls, 1" R-7 urethane foam insulation. 1/4 panels, 1-1/2 total wall thickness
- "Bump" rollers heavy duty, mounted under rear trailer frame
- Machined "Alcoa" aluminum mod style wheels, set of (4)
- Spare tire w/mount on painted white mod style rim
- Heavy duty walk-on roof, 1/2" plywood under one-piece aluminum roofing, either flat or over roof bows
- Railing system enclosing 8'x8' area of rear walk-on roof, aluminum, collapsible, with fixed rear mounted access ladder
- HWH 300 Series Touch Panel-Controlled Hydraulic Leveling System w/4 ea. corner jacks, hydraulic pump/control unit and 12V deep cycle battery, touch pad to be mounted exterior of trailer w/aluminum access door
- (2) generator and storage compartment access doors, 36"x60" heavy duty aluminum WTB locking, white powdercoat finish
- (2) 32" x 80" RV style door w/knob and dead bolt style locksets
- Heavy duty pull-out steps below personnel doors
- (2) window, 30"x15" tinted Hehr 5900
- (2) window, 24"x30" tinted, Hehr 4700 Series
- (6) mini blinds for above (4) windows and (2) doors, RV style
- Deluxe ceiling package includes 6" fiberglass insulation, white poly-board ceiling liner
- PVC commercial flooring (ribbed or coin pattern) or industrial vinyl flooring, main floor and overbunk area
- (2) 12v "Polar" powered roof vent (thermostatically controlled with rain sensor, automatic or manually controlled) w/"MaxAir" roof vent cover
- (5) 12 volt dome light (white lens) w/(3) 12 volt wall switches
- (2) 12 volt 26 degree down trapazoidal flush mount area light (porch light), individually switched
- Flashing light system, (6) exterior flush-mount blue LED lighthoods w/control module
- 12 volt power system: Magnetek 7455 high output 12 volt converter and (2) 100 amp/hr. deep cycle batteries
- 12 kW Onan "Quiet Diesel" Generator (104A) mounted in overbunk area with 50 gallon frame mounted fuel tank, battery, auto transfer switch and remote start /stop switch
- Fuel gauge & sending unit for certified fuel tank mounted inside trailer
- Magnetek Model 100D 220V/110V/12V 50 amp entrance/distribution panel
- 30-amp 120 volt shore power w/25' removable shore cord and exterior power receptacle
- (7) 48" fluorescent ceiling light, *flush mount* 2-bulb, 110 volt w/(4) 110 volt wall switches
- (2) 48" fluorescent strip-light, single bulb, under-cabinet light, 110 volt
- Wiremold 5400 Series two-piece multi-channel nonmetallic raceway (3 compartment configuration), raceway will incorporate 110-volt plugs, 110V wiring, 12V wiring, telephone wiring and coax communications cables.
- (12) 110V duplex power outlets, "WireMold" installation
- (4) 110V duplex interior power receptacles (stand alone-surface mount)
- (6) 110v GFCI protected duplex power outlets, exterior w/weatherproof cover
- (4) 500W 110 volt flush mount quartz scene lights, individually switched
- (4) 12 volt accessory power receptacle, stand alone
- (6) telephone jacks and wiring, "WireMold" installation
- Telephone punch block w/cover installed in trailer overbunk area
- Exterior telephone inlet w/weatherproof cover and wiring
- (6) communications/data jacks and CAT5 wiring, "WireMold" installation
- (3) TV/Monitor Station Setup includes outlet, ABC switch, splitter, (2) duplex power outlets and associated cable and accessories

800-225-6642

PO Box 340 • One Newell Lane • Chadwicks, NY 13319
Fax: 315-737-7347 • www.mohawk ltd.com • info@mohawk ltd.com

Mohawk Ltd.

A WBE and ISO 9001:2000 Certified Company

- Exterior CATV/satellite inlet w/weatherproof cover and wiring
- (4) radio coax jack, "WireMold" installation, includes 50 ohm (RG58AU or equivalent) coax cable connected to (1) roof mounted screw-on antenna base.
- (2) 13.5 BTU roof mount air conditioner, Coleman ducted through ceiling, vent locations to be determined
- 30,000 BTU LP furnace (Suburban SF Series), ducted with thermostat includes (2) 40# LP tanks, regulator w/automatic change-over, automatic shut-off valve, propane leak detector and required ducting, propane tanks installed in gooseneck riser between landing gear
- (3) 1500 watt forced air wall heater w/fan and wall mounted thermostat
- Battery operated smoke alarm
- Battery operated CO detector
- (2) fire extinguisher, 5 lb.
- Microwave oven: Dometic CDMW10MW 1.1 cu. ft. capacity, 1000 watt
- Refrigerator, Dometic RM2193 1.94 cu.ft. AC/DC/Propane built-in, includes exterior vent/access door (20-7/8"Hx17-3/4"Wx21"D)
- 20-gallon frame mounted potable water tank w/drain
- 25-gallon frame mounted waste water tank w/drain
- 12V electric demand water pump with accumulator, includes potable & waste water tank level gauges, *propane tank level gauge* and system monitoring panel
- Auto dump switches and valves for waste water and black water tanks
- 6 gallon 1500 watt electric water heater mounted in vanity cabinet, water supply to bathroom and galley areas
- Exterior city water hookup
- RV type toilet w/ waste holding tank and appropriate drain valves, fittings and sewage hose
- Vanity faucet and installation
- Galley faucet and installation
- Bathroom mirror

Cabinets and Work Surfaces

Storage cabinets and work surfaces are located per attached drawing. Cabinets feature locking "T" handles and 1-5 shelves (depending on cabinet height). Cabinet casework and doors feature plastic laminate construction over *plywood* cores with radius corners and impact resistant edge reinforcement. Work surfaces are "NevaMar" abrasion resistant plastic laminate over *plywood core* construction. Front edge of work surfaces is radiused impact resistant edge banding.

Galley Area

- Upper Cabinet, 30"Wx29-1/2"Hx16"D
- Microwave Cabinet, 24"Wx29-1/2"Hx16"D, w/(1) shelf, 1 door and open area for oven
- Sink base and drawer base cabinet, 32-1/2"Wx34-1/2"Hx24"D w (4) drawers and base to support refrigerator
- Countertop, 25"Dx54"W w/cutout and end splashes and sink

Bathroom Area

- Overhead Cabinets, 29"Wx17-1/2"Hx12"D
- Sink Base Cabinet, 20"Wx34-1/2"Hx18"D
- Vanity Countertop, 54"Wx19-1/2"Hx12"D w/sink

Rear Conference Area

- Conference Table, 75"x30" w/radius corners, hinged to wall and hinged in middle, articulated to stow against wall, with support
- Angled floor to ceiling cabinet for TV/VCR
- Overhead Cabinets, 72"W x 12"D x 18"H
- Dry erase marker board w/radius corners, 36"x96

Middle Conference Area

- Angled floor to ceiling cabinet for TV/VCR

800-225-6642

PO Box 340 • One Newell Lane • Chadwicks, NY 13319
Fax: 315-737-7347 • www.mohawk ltd.com • info@mohawk ltd.com

Mohawk Ltd.

A WBE and ISO 9001:2000 Certified Company

- Overhead Cabinets, 72"W x 12"D x 18"H
- 12" work surface over tank storage compartment
- Dry erase marker board w/radius corners, 32"x60"
- Removable Table w/Radius Corners, 30"x60", includes removable pedestal in floor, brackets & hardware for storage and pedestal

Front Communications Area

- (2) straight countertops w/support legs on both sides
- (2) upper cabinets, both sides w/dry erase marker laminate door finish

Overbunk cabinet cluster w/TV cabinet


- (2) 18"Wx38"Hx20"D built-in cabinets w/dry erase marker laminate door finish
- 24-3/8"Wx38"Hx20"D TV and storage cabinet

800-225-6642

PO Box 340 • One Newell Lane • Chadwicks, NY 13319

1 2 3 4 5 6 7 8 9

A B C D E F G



Floorplan

THIS DRAWING IS THE PROPERTY OF MOHAWK LTD. THIS IS CONFIDENTIAL INFORMATION AND MAY NOT BE COPIED NOR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF MOHAWK LTD.

BUILDER: Rolling Star
 DRAWN BY: Stu Gerow
 DRAWING #: ML836GS60.dwg


REV. DATE: 1/5/2006 10:29 AM

CUSTOMER: ML836GS30


Mohawk Ltd.
 ONE NEWELL LANE, CHADWICKS NY 13319
 PHONE: (800)225-6642 FAX: (315)737-7347

1 2 3 4 5 6 7 8 9

A B C D E F G




Rear View



Front View


Front & Rear Exterior Elevations



Front Interior View

NOTE: Overhead cabinets in this area (both sides) to have greaseboard surfaces on doors

Monitor/Electronics Cabinets, corner style, shelves are adjustable



Electronics Cabinet located Rear "Command/Control Area"

Cabinet Elevations

THIS DRAWING IS THE PROPERTY OF MOHAWK LTD. THIS IS CONFIDENTIAL INFORMATION AND MAY NOT BE COPIED NOR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF MOHAWK LTD.


BUILDER: Rolling Star
 DRAWN BY: Stu Gerrow
 DRAWING #: GSA36Command.dwg

REV. DATE: 10/27/2005 1:34 PM


CUSTOMER: TITLE: PART#: PART#:

Mohawk Ltd.
 ONE NEWELL LANE, CHADWICKS NY 13319
 PHONE: (800)225-6642 FAX: (315)737-7347

1 2 3 4 5 6 7 8 9



Curbside Interior View



Curbside Exterior View

Curbside Elevations

<p>THIS DRAWING IS THE PROPERTY OF MOHAWK LTD. THIS IS CONFIDENTIAL INFORMATION AND MAY NOT BE COPIED NOR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF MOHAWK LTD.</p>		<p>BUILDER: Rolling Star</p>	<p>CUSTOMER:</p>
<p>DRAWN BY: Stu Gerow</p>	<p>REV. DATE: 10/27/2005 1:34 PM</p>	<p>TITLE:</p>	<p>MOHAWK Ltd.</p>
<p>DRAWING #: GSA36Command.dwg</p>	<p>PART #:</p>	<p>ONE NEWELL LANE, CHADWICKS NY 13319</p>	<p>PHONE: (800)225-6642 FAX: (315)737-7347</p>